






DIMENSIONAL DRAWING: ELO BACKPACK




19.5 (NO MOUNTING BRACKET)
24 (INCLUDES MOUNTING BRACKET)



MOUNTING HOLE PATTERN CAN BE USED TO
MOUNT DEVICE TO ANY COMPATIBLE VESA MOUNTING ACCESSORY
100MM X 100MM OR 75MM X 75MM



MOUNTING BRACKET
(REMOVE DEVICE TO SECURE BRACKET
TO MOUNTING SURFACE AND THEN
REINSTALL DEVICE ONTO BRACKET)





DIMENSIONS ARE IN MILLIMETERS

elo

MS601906
DATE: 01/23/2018
REV: A


DIMENSIONAL DRAWING: ELO BACKPACK

SHOWN WITH
OPTIONAL LOW-PROFILE MOUNTING BRACKETS
INCLUDED WITH ELO KIT P/N E802593




DIMENSIONAL DRAWING: ELO BACKPACK

SHOWN WITH
OPTIONAL IDS-02 SERIES MOUNTING BRACKETS
INCLUDED WITH ELO KIT P/N E802593
(MOUNTS IN PLACE OF ELO COMPUTER MODULE)



MOUNTING BRACKETS
(LEFT AND RIGHT BRACKETS INCLUDED IN KIT)



DIMENSIONAL DRAWING: ELO BACKPACK

SHOWN WITH
OPTIONAL CABLE SECURITY BRACKETS
INCLUDED WITH ELO KIT P/N E802593
(5 BRACKETS AND MOUNTING SCREWS INCLUDED, CUSTOMER INSTALLED)

