






EloPos 15.6" WITH STAND

(SEE PG.2 FOR NO STAND VERSION)
(SEE PG.3 FOR CUSTOMER DISPLAY OPTION)


(SEE PG.4 FOR 15" VERSION)
(SEE PG.5 FOR 22" VERSION)




I/O DEFINITION FOR ALL STAND AND HUB MODELS

EloPos 15.6" NO STAND, WITH HUB

15.6" WITH HUB NOT ATTACHED TO BACK





15.6" WITH HUB ATTACHED TO BACK






EloPos WITH REAR-FACING DISPLAY MOUNT




(FOR ALL MODELS)



EloPos 15" WITH STAND
(SEE PG.2 FOR NO STAND VERSION)
(SEE PG.3 FOR CUSTOMER DISPLAY OPTION)



SEE PG.1 FOR I/O DEFINITION FOR STAND AND HUB MODELS



MOUNT FOR ELO EDGE
CONNECT ACCESSORIES,
X4




AUDIO OUT

USB 3.0


LAN

EloPos 22" WITH STAND

(SEE PG.6 FOR NO STAND VERSION)
(SEE PG.2 FOR CUSTOMER DISPLAY OPTION)






SEE PG.1 FOR I/O DEFINITION FOR STAND AND HUB MODELS



EloPos 22" NO STAND, WITH HUB


22" WITH HUB NOT ATTACHED TO BACK




M4,
MIN. SCREW DEPTH FROM MOUNT SURFACE = 14mm
MAX. SCREW LENGTH = 10mm,
X8

SEE PG.2 FOR I/O DEFINITION

22" WITH HUB ATTACHED TO BACK



SEE PG. 2 FOR HUB DIMENSIONS
AND I/O DEFINITION



M4,
MAX. SCREW DEPTH FROM
MOUNT SURFACE = 6mm
X4